

# Package ‘validmind’

July 22, 2025

**Type** Package

**Title** Interface to the 'ValidMind' Platform

**Version** 0.1.2

**Maintainer** Andres Rodriguez <andres@validmind.ai>

**Description** Deploy, execute, and analyze the results of models hosted on the 'ValidMind' platform <<https://validmind.com>>. This package interfaces with the 'Python' client library in order to allow advanced diagnostics and insight into trained models all from an 'R' environment.

**License** AGPL-3

**Encoding** UTF-8

**URL** <https://github.com/validmind/developer-framework>

**BugReports** <https://github.com/validmind/developer-framework/issues>

**RoxygenNote** 7.3.2

**Imports** glue, reticulate, dplyr, plotly, htmltools, rmarkdown, DT,  
base64enc

**NeedsCompilation** no

**Author** Andres Rodriguez [aut, cre, cph]

**Repository** CRAN

**Date/Publication** 2024-11-07 19:00:02 UTC

## Contents

build_r_plotly . . . . .	2
display_report . . . . .	2
print_summary_tables . . . . .	3
process_result . . . . .	4
register_custom_test . . . . .	4
run_custom_test . . . . .	6
save_model . . . . .	7
summarize_metric_result . . . . .	7

summarize_result . . . . .	8
summarize_test_result . . . . .	8
vm . . . . .	9

<b>Index</b>	<b>10</b>
--------------	-----------

---

build_r_plotly	<i>Build an R Plotly figure from a JSON representation</i>
----------------	--

---

### Description

Build an R Plotly figure from a JSON representation

### Usage

```
build_r_plotly(plotly_figure)
```

### Arguments

plotly\_figure A nested list containing plotly elements

### Value

An R Plotly object derived from the JSON representation

---

display_report	<i>Produce RMarkdown-compatible output of all results</i>
----------------	---

---

### Description

Produce RMarkdown-compatible output of all results

### Usage

```
display_report(processed_results)
```

### Arguments

processed\_results  
A list of processed result objects

### Value

A formatted list of RMarkdown widgets

**Examples**

```
## Not run:
vm_dataset = vm_r$init_dataset(
  dataset=data,
  target_column="Exited",
  class_labels=list("0" = "Did not exit", "1" = "Exited")
)

tabular_suite_results <- vm_r$run_test_suite("tabular_dataset", dataset=vm_dataset)

processed_results <- process_result(tabular_suite_results)
all_widgets <- display_report(processed_results)
for (widget in all_widgets) {
  print(widget)
}

## End(Not run)
```

---

print\_summary\_tables *Print a summary table of the ValidMind results*

---

**Description**

Print a summary table of the ValidMind results

**Usage**

```
print_summary_tables(result_summary)
```

**Arguments**

result\_summary A summary of the results

**Value**

A data frame containing the summary of the ValidMind results

---

process\_result      *Process a set of ValidMind results into parseable data*

---

**Description**

Process a set of ValidMind results into parseable data

**Usage**

```
process_result(results)
```

**Arguments**

results      A list of ValidMind result objects

**Value**

A nested list of ValidMind results (dataframes, plotly plots, and matplotlib plots)

**Examples**

```
## Not run:
vm_dataset = vm_r$init_dataset(
  dataset=data,
  target_column="Exited",
  class_labels=list("0" = "Did not exit", "1" = "Exited")
)

tabular_suite_results <- vm_r$run_test_suite("tabular_dataset", dataset=vm_dataset)

processed_results <- process_result(tabular_suite_results)
processed_results

## End(Not run)
```

---

register\_custom\_test      *Register a Custom Test Function in ValidMind*

---

**Description**

Registers an R function as a custom test within the ValidMind testing framework, allowing it to be used as a custom metric for model validation.

## Usage

```
register_custom_test(  
  func,  
  test_id = NULL,  
  description = NULL,  
  required_inputs = NULL  
)
```

## Arguments

func	An R function to be registered as a custom test.
test_id	A unique identifier for the test. If NULL, a default ID is generated based on the function name.
description	A description of the test. If NULL, the function's description attribute is used. Defaults to "No description" if not available.
required_inputs	A character vector specifying the required inputs for the test. If NULL, the function's formal argument names are used.

## Details

The provided R function is converted into a Python callable using [r\\_to\\_py](#). A Python class is then defined, inheriting from ValidMind's `Metric` class, which wraps this callable. This custom test is registered within ValidMind's test store and can be used in the framework for model validation purposes.

## Value

The test store object containing the newly registered custom test.

## See Also

[r\\_to\\_py](#), [import\\_main](#), [py\\_run\\_string](#)

## Examples

```
## Not run:  
# Define a custom test function in R  
my_custom_metric <- function(predictions, targets) {  
  # Custom metric logic  
  mean(abs(predictions - targets))  
}  
  
# Register the custom test  
register_custom_test(  
  func = my_custom_metric,  
  test_id = "custom.mae",  
  description = "Custom Mean Absolute Error",  
  required_inputs = c("predictions", "targets")
```

```
)  
## End(Not run)
```

---

run_custom_test	<i>Run a Custom Test using the ValidMind Framework</i>
-----------------	--

---

### Description

This function runs a custom test using the ValidMind framework through Python's 'validmind.vm\_models'. It retrieves a custom test by 'test\_id', executes it with the provided 'inputs', and optionally displays the result. The result is also logged.

### Usage

```
run_custom_test(test_id, inputs, test_registry, show = FALSE)
```

### Arguments

test_id	A string representing the ID of the custom test to run.
inputs	A list of inputs required for the custom test.
test_registry	A reference to the test register object which provides the custom test class.
show	A logical value. If TRUE, the result will be displayed. Defaults to FALSE.

### Value

An object representing the result of the test, with an additional log function.

### Examples

```
## Not run:  
result <- run_custom_test("test123", my_inputs, test_registry, show = TRUE)  
  
## End(Not run)
```

---

save_model	<i>Save an R model to a temporary file</i>
------------	--

---

**Description**

This function saves a given R model object to a randomly named ‘.RData’ file in the ‘/tmp/’ directory. The file is saved with a unique name generated using random letters.

**Usage**

```
save_model(model)
```

**Arguments**

model            The R model object to be saved.

**Value**

A string representing the full file path to the saved ‘.RData’ file.

**Examples**

```
model <- lm(mpg ~ cyl, data = mtcars)
file_path <- save_model(model)
```

---

summarize_metric_result	<i>Provide a summarization of a single metric result</i>
-------------------------	--

---

**Description**

Provide a summarization of a single metric result

**Usage**

```
summarize_metric_result(result)
```

**Arguments**

result            The ValidMind result object

**Value**

A list containing the summary of the ValidMind results

---

`summarize_result`      *Provide a summarization of a single result (test or metric)*

---

**Description**

Provide a summarization of a single result (test or metric)

**Usage**

```
summarize_result(result)
```

**Arguments**

`result`      The ValidMind result object

**Value**

Based on the type of 'result', either A list containing the summary of the ValidMind results, or a list containing the summary of the ValidMind results

---

`summarize_test_result`      *Provide a summarization of a single test result*

---

**Description**

Provide a summarization of a single test result

**Usage**

```
summarize_test_result(result)
```

**Arguments**

`result`      The ValidMind result object

**Value**

A list containing the summary of the ValidMind test results



---

vm *Retrieve a validmind (vm) connection object using reticulate*

---

## Description

Retrieve a validmind (vm) connection object using reticulate

## Usage

```
vm(  
  api_key,  
  api_secret,  
  model,  
  python_version,  
  api_host = "http://localhost:3000/api/v1/tracking"  
)
```

## Arguments

api_key	The ValidMind API key
api_secret	The ValidMind API secret
model	The ValidMind model
python_version	The Python Version to use
api_host	The ValidMind host, defaulting to local

## Value

A validmind connection object, obtained from 'reticulate', which orchestrates the connection to the ValidMind API

## Examples

```
## Not run:  
vm_r <- vm(  
  api_key="<your_api_key_here>",  
  api_secret="<your_api_secret_here>",  
  model="<your_model_id_here>",  
  python_version=python_version,  
  api_host="https://api.dev.vm.validmind.ai/api/v1/tracking"  
)  
  
## End(Not run)
```

# Index

`build_r_plotly`, 2  
`display_report`, 2  
`import_main`, 5  
`print_summary_tables`, 3  
`process_result`, 4  
`py_run_string`, 5  
`r_to_py`, 5  
`register_custom_test`, 4  
`run_custom_test`, 6  
`save_model`, 7  
`summarize_metric_result`, 7  
`summarize_result`, 8  
`summarize_test_result`, 8  
`vm`, 9